



### **MATERIAL**

PuRity handles are made of a brand new material called PURA which is fully recyclable, 100% ecological, non-corrosive and anti-allergic. The unique BIOV or "Bioecologic Ion Overlay" process finishing is based on the deposition of gaseous metal ions, applied under vacuum. This coating is 100% ecological and recyclable which makes the handles extremely resistant against wear, very suited for aggressive environments and as an option even anti-bacterial. The combination of the material and surface treatment makes PuRity a sustainable handle!



### **DESIGN**

The PuRity range is fully adapted to the use- and design needs of constructors. The result is a minimal, classical and rational design that will give the Reynaers systems a unique touch.



### **INSTALLATION**

We also provide the handles with their own unique new-generation mechanism, named Cliq-Claq. This mechanism slides over the square spindle of the doors or windows, and then snaps into place. Consequently, it ensures stronger fixation and allows the handle to return to the perfect position.



### **PURITY COLOURS**

AVAILABLE COLOURS





Eclipse ref: BLMA







<sup>\*</sup>in collaboration with OpenTECH srl

/

/

✓

1

1 1 1

1

✓

/

/

/



#### A. DESIGN HANDLE



Also available with built-in cylinder lock (ref. AA)

#### **B. COMFORT HANDLE**



Also available with built-in cylinder lock (ref. BB)

A 161.7126.--

161.7124.PC 161.7100.PC AA 161.7103.PC AA 161.7104.PC

161.7126.--

BB 161.7114.PC C 061.7137.PC D 161.7126.--161.7124.PC 161.7101.PC E 161.7126.--

161.7124.PC 161.7110.PC BB 161.7113.PC

> 161.7124.PC 161.7111.PC

### C. REDUCED HANDLE




### D. DESIGN HANDLE OFFSET



3 REYNAERS

#### E. COMFORT HANDLE OFFSET







# 1.2. DOORS

#### A. DESIGN HANDLE





### **B. COMFORT HANDLE**





### C. REDUCED HANDLE



### D. DESIGN HANDLE OFFSET



### E. COMFORT HANDLE OFFSET





### F. PZ CYLINDER COVER

cover plate (ref. DD)

separate cylinder cover available with PuRity design in different dimensions and cylinder types

| A 161.7125 161.7100.PC AA 161.7369.PC AA 161.7369.PC AA 161.7370.PC 161.7100.PC AA 161.7370.PC 161.7100.PC B 161.7124.PC 161.7100.PC B 161.7369.PC 161.7100.PC B 161.7369.PC 161.7100.PC C* 161.7369.PC C* 161.7369.P |    |             |   |   |   |   |   |   |   |  |   |          |   |    |     |
|---|----|-------------|---|---|---|---|---|---|---|--|---|----------|---|----|-----|
| 161.7124.PC   161.7369.PC   |    |             | X |   |   |   |   |   | 4 | ************************************** |   | <b>Ø</b> |   | ** | *** |
| 161.7100.PC   | А  | 161.7124.PC | 1 |   | 1 | • | 1 | 1 |   |  | ✓ |          |   |    |     |
| 161/710.PC  | AA |             |   | 1 | 1 |   | 1 | 1 |   |  | 1 | 1        | 1 | 1  | 1   |
| 161.7124.PC   161.7369.PC   | AA |             |   | 1 |   | 1 | 1 | 1 |   |  | ✓ | ✓        | 1 | 1  | ✓   |
| 161.7110.PC   | В  | 161.7124.PC | 1 |   | 1 | 1 | 1 | 1 |   |  | ✓ |          |   |    |     |
| 161.7110.PC   | BB |             |   | 1 | 1 |   | 1 | 1 |   |  | 1 | 1        | ✓ | 1  | ✓   |
| C* 161.7364.PC  | BB |             |   | 1 |   | ✓ | 1 | 1 |   |  | 1 | ✓        | 1 | 1  | ✓   |
| D 161.7125 161.7101.PC  DD 161.7369.PC 161.7101.PC  DD 161.7370.PC 161.7101.PC  E 161.7124.PC 161.7111.PC  E 161.7369.PC 161.7111.PC  F 061.7146.PC  V V V V V V V V V V V V V V V V V V V  | C* | 161.7363.PC | 1 |   | 1 | 1 | 1 | 1 |   |  | 1 |          |   |    |     |
| 161.7124.PC       161.7369.PC       ✓   | C* | 161.7364.PC | 1 |   | 1 | 1 | 1 | 1 |   |  | 1 |          |   |    |     |
| 161.7101.PC   | D  | 161.7124.PC | 1 |   | 1 | 1 | 1 | 1 |   |  | ✓ |          |   |    |     |
| 161.7101.PC   | DD |             |   | 1 | 1 |   | 1 | 1 |   |  | 1 | ✓        | 1 | 1  | 1   |
| 161.7124.PC       161.7111.PC         E       161.7369.PC         161.7111.PC       ✓         E       161.7370.PC         161.7111.PC       ✓         F       061.7146.PC         F       061.7147.PC   | DD |             |   | 1 |   | 1 | 1 | 1 |   |  | ✓ | 1        | 1 | 1  | ✓   |
| 161.7111.PC       Image: Control of the c                                      | E  | 161.7124.PC | 1 |   | 1 | 1 | 1 | 1 |   |  | 1 |          |   |    |     |
| 161.7111.PC  F 061.7146.PC  V V V V V V V V V V V V V V V V V V V   | E  |             |   | 1 | 1 |   | 1 | 1 |   |  | 1 | 1        | 1 | 1  | 1   |
| F 061.7147.PC   | E  |             |   | 1 |   | 1 | 1 | 1 |   |  | 1 | ✓        | ✓ | 1  | 1   |
|   | F  | 061.7146.PC |   | 1 | 1 | 1 | 1 | 1 |   |  | 1 |          |   |    |     |
| F 061.7148.PC   | F  | 061.7147.PC |   | 1 | 1 | 1 | 1 | 1 |   |  | ✓ |          |   |    |     |
|   | F  | 061.7148.PC |   | 1 | 1 | 1 | 1 | 1 |   |  | 1 |          |   |    |     |

<sup>\*</sup>Not suited for Folding Door with door elements

### 1.3. SLIDING DOORS



A. DESIGN **HANDLE** 

C. DESIGN

**HANDLE OFFSET** 



**B. COMFORT HANDLE** 

D. COMFORT

**HANDLE OFFSET** 



2-4-6 mm



**ACCESSORIES** 

E. PZ CYLINDER COVER

separate cylinder cover available with PuRity design in different dimensions and cylinder types

RZ Cylinder cover (ref. EE)



161.7226.--161.7124.PC 161.7100.PC

B 161.7226.--

С

Ε

161.7124.PC

161.7110.PC

161.7226.--161.7124.PC 161.7101.PC

161.7226.--

161.7124.PC 161.7111.PC

061.7147.PC

061.7148.PC

E 061.7146.PC

EE 061.7127.PC EE 061.7128.PC

EE 061.7129.PC



1

1

1



1

1

1



### 1.4. LIFT AND SLIDE DOORS



**B. COMFORT HANDLE** 



A. REDUCED HANDLE

C. RECESSED HANDLE

|   |             | X |   | <b>=</b> |   |   | $\Box$ | 4 | \$\hat{\chi} |   | <b>Ø</b> | ** | <b>₹</b> * |
|---|-------------|---|---|----------|---|---|--------|---|--------------|---|----------|----|------------|
| Α | 061.7105.PC |   | 1 | 1        | 1 | 1 | 1      |   |              | 1 |          |    |            |
| Α | 061.7106.PC | ✓ |   | 1        | 1 | 1 | 1      |   |              | 1 |          |    |            |
| В | 061.7115.PC |   | 1 | 1        | 1 | 1 | 1      |   |              | 1 |          |    |            |
| В | 061.7116.PC | 1 |   | 1        | 1 | 1 | 1      |   |              | 1 |          |    |            |
| С | 061.7112.PC | ✓ |   | ✓        | 1 | 1 | 1      |   |              | 1 |          |    |            |



### 1.5. FOLDING DOORS

PuRity window configurations can be applied on the CF range of folding window elements.


See windows section for full overview (page 4)

PuRity door configurations can be applied in the CF range of folding door elements.

See doors section for full overview (page 6)



|   |             | X |   |   |   | $\Box$ | 4 | *** |   | <b>②</b> | <b>Ø</b> | <b>**</b> |  |
|---|-------------|---|---|---|---|--------|---|-----|---|----------|----------|-----------|--|
| Α | 061.7138.PC | 1 | 1 | 1 | 1 | 1      |   |     | ✓ |          |          |           |  |





### **TOUCH**

Touch handles exude true elegance and fit into any type of architecture. Create an aesthetic look with this minimalist timeless design, tailored to the needs of contemporary living, without sacrificing ease of use.





### **HORIZON**

Horizon is a very modern handle in the Reynaers range. The sleek design makes it ideal in combination with any type of window or door. The handle is characterised by the horizontal detail which gives it a very special effect.





### **SHIELD**

Shield is our safest and strongest series of handles. Created to withstand thieves, these handles are characterized by their rugged, robust and reliable design. Shield received two SKG stars on most of the range and on some specific articles even three stars as a safety score.





### ORCHID

Orchid is a beautiful and elegant series. These handles are very reliable and cost efficient. The series is characterized by the rounded design that radiates in its simplicity.





### OLIMPO

The Olimpo line introduces an upto-date design that meets the latest aesthetic trends. The smooth shape of the Olimpo line is enhanced by the many finishes available which contribute to meet the highest quality and aesthetical requirements.






### **ELEMENTRY**

Elementry is a range of handles that is appropriate for other design solutions.





OUR WINDOW HANDLES ARE AVAILABLE IN THE FOLLOWING DESIGN

See page 11 for more information

about our different design lines

**RANGES/LINES:** 

2.1.1. Touch 2.1.2. Horizon 2.1.3. Shield 2.1.4. Orchid 2.1.5. Olimpo 2.1.6. Elementry

Also available for CF and outward opening windows







Also available with



|    |             | X |   |   |   |   | 4 |   | *** | <b>Ø</b> | <b>Ø</b> | <b>***</b> |   |
|----|-------------|---|---|---|---|---|---|---|-----|----------|----------|------------|---|
| Α  | 060.6455.XX | ✓ |   | ✓ | 1 | 1 | 1 | 1 |     |          |          |            |   |
| Α  | 060.6456.XX | ✓ |   | ✓ | ✓ | 1 | 1 | 1 |     |          |          |            |   |
| В  | 060.6450.PA | ✓ |   | ✓ | ✓ | 1 |   | 1 |     |          |          |            |   |
| В  | 060.6451.XX | ✓ |   | ✓ | ✓ | 1 | 1 | 1 |     |          |          |            |   |
| BB | 060.6452.XX |   | 1 | ✓ | ✓ | 1 | 1 | 1 |     | ✓        |          | ✓          | ✓ |
| BB | 060.6453.XX |   | 1 | 1 |   | 1 | 1 | 1 |     |          |          |            |   |
| BB | 060.6454.XX |   | 1 |   | ✓ | 1 | 1 | 1 |     |          |          |            |   |





### A. STANDARD HANDLE

Also available or CF and outward opening windows



### B. ROSELESS HANDLE

Also available with built-in cylinder lock (ref. BB)



|    |             | X |   |   |   |   | 4 |   | ₹\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | <b>Ø</b> | <b>Ø</b> | *** | <b>₹</b> * |
|----|-------------|---|---|---|---|---|---|---|---------------------------------------|----------|----------|-----|------------|
| Α  | 061.6451.XX | ✓ |   | ✓ | 1 | 1 | ✓ | ✓ |                                       |          |          |     |            |
| Α  | 060.6543.XX | ✓ |   | ✓ | 1 | 1 | 1 | 1 |                                       |          |          |     |            |
| В  | 061.6453.PA | ✓ |   | 1 | 1 | 1 |   | 1 |                                       |          |          |     |            |
| ВВ | 061.6454.XX |   | 1 | 1 | 1 | 1 | 1 | 1 |                                       | 1        |          | 1   | 1          |
| BB | 061.6463.XX |   | 1 | 1 |   | 1 | 1 | 1 |                                       |          |          |     |            |
| ВВ | 061.6464.XX |   | 1 |   | 1 | 1 | 1 | 1 |                                       |          |          |     |            |



### 2.1.3. SHIELD

### A. STANDARD HANDLE



| Also available with built-in |  |
|------------------------------|--|
| cylinder lock (ref. AA)      |  |

|    |             | X |   |   |   |   | 4 | - A | <b>Ø</b> | <b>Ø</b> | ** | *** |
|----|-------------|---|---|---|---|---|---|-----|----------|----------|----|-----|
| Α  | 061.6448.17 | 1 |   | 1 | ✓ | 1 | 1 |     |          |          |    |     |
| AA | 060.6219.17 |   | 1 | 1 | 1 | 1 | 1 |     |          |          | 1  |     |



### A. STANDARD HANDLE

① Only compatible with Fapim gear





### **B. STANDARD HANDLE**





|    |             | X |   |   |   |   | i | 4 | 0 0 0 | \$\hat{\chi}\$ | A STATE OF THE STA | <b>Ø</b> | <b>Ø</b> | <b>**</b> |  |
|----|-------------|---|---|---|---|---|---|---|-------|----------------|--|----------|----------|-----------|--|
| Α  | 060.8900.PA | 1 |   | 1 | ✓ | ✓ |   |   | 1     |                |  |          |          |           |  |
| Α  | 060.8851.PA | 1 |   | 1 | 1 | 1 |   |   | 1     |                |  |          |          |           |  |
| AA | 060.8901.PA |   | ✓ | 1 | 1 | 1 |   |   | ✓     |                |  |          |          |           |  |
| В  | 060.8914.PA | 1 |   | 1 | 1 | 1 |   |   | 1     |                |  |          |          |           |  |
| ВВ | 060.8915.PA |   | 1 | 1 | ✓ | 1 |   |   | ✓     |                |  |          |          |           |  |

#### A. ROSELESS HANDLE (IRIS)



Also available with built-in cylinder lock

(ref. AA)

### **B. STANDARD HANDLE** (EOS)



Also available with built-in cylinder lock (ref. BB)

#### C. STANDARD HANDLE (GEA)



Also available with built-in cylinder lock (ref. CC)

|    |             | X |   |   |   |   | 4 |   | <b>**</b> | No. | <b>Ø</b> | <b>Ø</b> | ** |  |
|----|-------------|---|---|---|---|---|---|---|-----------|-----|----------|----------|----|--|
| Α  | 060.8588.XX | ✓ |   | 1 | ✓ | 1 | ✓ | 1 |           |     |          |          |    |  |
| AA | 060.8589.PA |   | 1 | 1 | 1 | 1 |   | 1 |           |     |          |          |    |  |
| В  | 060.8586XX  | 1 |   | 1 | 1 | 1 | 1 | 1 |           |     |          |          |    |  |
| ВВ | 060.8587.XX |   | 1 | 1 | 1 | 1 | 1 | 1 |           |     |          |          |    |  |
| С  | 060.8581.PA | 1 |   | 1 | 1 | 1 |   | 1 |           |     |          |          |    |  |
| С  | 060.8583.PA | ✓ |   | ✓ | ✓ | 1 |   | 1 |           |     |          |          |    |  |
| CC | 060.8582.PA |   | 1 | 1 | 1 | 1 |   | 1 |           |     |          |          |    |  |
| CC | 060.8584.PA |   | 1 | 1 | 1 | 1 |   | 1 |           |     |          |          |    |  |



**B. STANDARD** 

#### A. STANDARD **HANDLE**









Also available with built-in cylinder lock (ref. CC)



Also available with built-in cylinder lock (ref. DD)

**G. ROSELESS HANDLE** 

FOR SIEGENIA WINDOWGEAR

E. STANDARD HANDLE FOR SOBINCO WINDOWGEAR



Also available with built-in cylinder lock (ref. EE)

### F. STANDARD HANDLE FOR SIEGENIA WINDOWGEAR




Also available with built-in cylinder lock (ref. FF)



(ref. GG)

built-in cylinder lock

|    |             | X |   | <b>5</b> |   |   | 4 |   | *** | <b>Ø</b> | <b>Ø</b> | <b>***</b> |  |
|----|-------------|---|---|----------|---|---|---|---|-----|----------|----------|------------|--|
| Α  | 060.6190.XX | ✓ |   | 1        | 1 | 1 | 1 | 1 | 1   |          |          |            |  |
| В  | 060.6191.XX | 1 |   | 1        | 1 | 1 | 1 | 1 | 1   |          |          |            |  |
| С  | 060.6050.PA | ✓ |   | 1        | ✓ | 1 |   | 1 |     |          |          |            |  |
| CC | 060.6068.PA |   | 1 | 1        | 1 | 1 |   | 1 |     |          |          | 1          |  |
| CC | 060.6180.PA |   | 1 |          | 1 | 1 |   | 1 |     |          |          | 1          |  |
| CC | 060.6182.PA |   | 1 | 1        |   | 1 |   | 1 |     |          |          | 1          |  |
| D  | 060.6070.PA | 1 |   | 1        | 1 | 1 |   | 1 |     |          |          |            |  |
| DD | 060.6071.PA |   | 1 | 1        | 1 | 1 |   | 1 |     |          |          | 1          |  |
| DD | 060.6179.PA |   | 1 |          | ✓ | ✓ |   | ✓ |     |          |          | ✓          |  |
| DD | 060.6181.PA |   | 1 | 1        |   | 1 |   | ✓ |     |          |          | ✓          |  |
| Ε  | 060.6049.XX | ✓ |   | ✓        | ✓ | 1 | 1 | 1 |     |          |          |            |  |
| EE | 060.6067.XX |   | 1 | ✓        | ✓ | ✓ | ✓ | 1 |     |          |          | ✓          |  |
| F  | 060.7213.PA | ✓ |   | 1        | 1 | 1 |   | 1 |     |          |          |            |  |
| FF | 060.7214.PA |   | 1 | ✓        | ✓ | ✓ |   | 1 |     |          |          |            |  |
| G  | 060.7920.PA | ✓ |   | 1        | ✓ | ✓ |   | 1 |     |          |          |            |  |
| GG | 060.7921.PA |   | 1 | ✓        | ✓ | ✓ |   | ✓ |     |          |          |            |  |





### A. STANDARD HANDLE



### **B. REDUCED HANDLE**



### C. DOOR PULL

coming soon





Also available with lock (ref. DD)

### E. CYLINDER COVER

Separate cylinder cover available for all Touch door handles.

|    |             |   |   |   |   |   |   | 4 | 000 | The state of the s |  | <b>**</b> |  |
|----|-------------|---|---|---|---|---|---|---|-----|--|--|-----------|--|
| Α  | 061.6337.XX | ✓ |   | 1 | 1 | 1 |   | 1 | 1   |  |  |           |  |
| Α  | 061.6338.XX | ✓ |   | 1 | ✓ |   | ✓ | ✓ | ✓   |  |  |           |  |
| Α  | 061.6335.XX |   | 1 | 1 | 1 | 1 |   | ✓ | 1   |  |  |           |  |
| Α  | 061.6336.XX |   | 1 | 1 | 1 |   | 1 | 1 | 1   |  |  |           |  |
| AA | 061.6330.XX | 1 |   | 1 | 1 | 1 |   | 1 | 1   |  |  |           |  |
| AA | 061.6331.XX | ✓ |   | 1 | 1 |   | 1 | 1 | 1   |  |  |           |  |
| В  | 061.6341.XX | ✓ |   | 1 | 1 | 1 |   | 1 | 1   |  |  |           |  |
| В  | 061.6342.XX | 1 |   | 1 | 1 |   | 1 | 1 | 1   |  |  |           |  |
| В  | 061.6339.XX |   | 1 | 1 | 1 | 1 |   | 1 | 1   |  |  |           |  |
| В  | 061.6340.XX |   | 1 | 1 | 1 |   | 1 | 1 | 1   |  |  |           |  |
| BB | 061.6332.XX | ✓ |   | ✓ | ✓ | ✓ |   | ✓ | ✓   |  |  |           |  |
| BB | 061.6333.XX | ✓ |   | ✓ | ✓ |   | ✓ | ✓ | ✓   |  |  |           |  |
| D  | 061.6345.XX | 1 |   | 1 | 1 | 1 |   | 1 | 1   |  |  |           |  |
| D  | 061.6346.XX | ✓ |   | 1 | 1 |   | 1 | ✓ | ✓   |  |  |           |  |
| DD | 061.6343.XX |   | 1 | 1 | 1 | 1 |   | 1 | 1   |  |  |           |  |
| DD | 061.6344.XX |   | 1 | 1 | 1 |   | 1 | 1 | 1   |  |  |           |  |
| E  | 061.6334.XX |   | 1 | ✓ | 1 | 1 | 1 | ✓ | ✓   |  |  |           |  |



### H. SECURITY COVER PLATE



|   |             |   |   |   |   | $\triangle$ | $\triangle$ | 4 |       | -\$\hat{\chi} |   | <b>7</b> | <b>★★</b> ◎ |  |
|---|-------------|---|---|---|---|-------------|-------------|---|-------|---------------|---|----------|-------------|--|
|   |             |   |   |   |   |             | "           |   | 0 0 0 |               | U |          |             |  |
| F | 061.6349.XX | ✓ |   | 1 | 1 | ✓           |             | 1 | 1     |               |   |          | 1           |  |
| F | 061.6350.XX | 1 |   | 1 | 1 |             | 1           | 1 | 1     |               |   |          | 1           |  |
| F | 061.6347.XX |   | 1 | 1 | 1 | 1           |             | 1 | 1     |               |   |          | ✓           |  |
| F | 061.6348.XX |   | 1 | 1 | 1 |             | ✓           | 1 | 1     |               |   |          | 1           |  |
| G | 061.6351.XX | 1 |   | 1 | 1 | ✓           |             | 1 | 1     |               |   |          | 1           |  |
| G | 061.6352.XX | 1 |   | 1 | 1 |             | 1           | 1 | 1     |               |   |          | 1           |  |
| G | 061.6353.XX | 1 |   | 1 | 1 | 1           |             | 1 | 1     |               |   |          | 1           |  |
| G | 061.6354.XX | 1 |   | 1 | 1 |             | ✓           | 1 | 1     |               |   |          | 1           |  |
| Н | 061.6357.XX | 1 |   | 1 | 1 | 1           |             | 1 | 1     |               |   |          | 1           |  |
| Н | 061.6358.XX | 1 |   | 1 | 1 |             | ✓           | 1 | 1     |               |   |          | 1           |  |
| Н | 061.6355.XX |   | 1 | 1 | 1 | 1           |             | 1 | 1     |               |   |          | 1           |  |
| Н | 061.6356.XX |   | 1 | 1 | 1 |             | /           | 1 | 1     |               |   |          | 1           |  |



#### A. STANDARD HANDLE



a short cover plate a short cover plate (ref. BB) (ref. AA)

#### **B. REDUCED HANDLE**



E. CYLINDER COVER


C. DOOR

**PULL** 

Separate cylinder cover available for all Horizon door handles.

D. COVER

**PLATE** 







|   |             | X |   |   |   |   |   | 4 |   | *** | <b>Ø</b> | <b>Ø</b> | ** |   |
|---|-------------|---|---|---|---|---|---|---|---|-----|----------|----------|----|---|
| Α | 061.7434.XX |   | 1 | 1 | 1 |   | 1 | 1 | 1 |     |          |          | 1  |   |
| Α | 061.7441.XX |   | 1 | 1 | 1 | 1 |   | 1 | 1 |     |          |          | 1  |   |
| Α | 061.7460.XX |   | 1 | 1 | 1 | 1 |   | 1 | 1 |     |          |          | 1  |   |
| Α | 061.7461.XX |   | 1 | 1 | 1 | 1 |   | 1 | 1 |     |          |          | 1  |   |
| Α | 061.7462.XX |   | 1 | 1 | 1 |   | 1 | 1 | 1 |     |          |          | 1  |   |
| Α | 061.7414.XX |   | 1 | 1 | ✓ |   | ✓ | 1 | 1 |     |          |          | 1  | ✓ |
| Α | 061.7435.XX | ✓ |   | ✓ | 1 |   | ✓ | 1 | 1 |     |          |          | 1  |   |
| Α | 061.7442.XX | ✓ |   | ✓ | ✓ | 1 |   | ✓ | 1 |     |          |          | 1  |   |
| В | 061.7436.XX |   | ✓ | 1 | 1 |   | ✓ | 1 | 1 |     |          |          | ✓  |   |
| В | 061.7443.XX |   | 1 | ✓ | ✓ | ✓ |   | ✓ | ✓ |     |          |          | ✓  |   |
| С | 061.7430.XX |   | ✓ | ✓ |   |   | ✓ | ✓ | ✓ |     |          |          | ✓  |   |
| С | 061.7431.XX |   | ✓ |   | ✓ |   | ✓ | ✓ | ✓ |     |          |          | ✓  |   |
| С | 061.7439.XX |   | ✓ | ✓ | ✓ | ✓ |   | ✓ | ✓ |     |          |          | ✓  |   |
| С | 061.7463.XX |   | 1 | ✓ | ✓ |   | ✓ | 1 | ✓ |     |          |          | ✓  |   |
| С | 061.7411.XX |   | ✓ | ✓ | ✓ |   | ✓ | 1 | ✓ |     |          |          | 1  | ✓ |
| С | 061.7432.XX | ✓ |   | ✓ |   |   | ✓ | ✓ | ✓ |     |          |          | ✓  |   |
| С | 061.7433.XX | ✓ |   |   | ✓ |   | ✓ | ✓ | ✓ |     |          |          | ✓  |   |
| С | 061.7440.XX | 1 |   | ✓ | ✓ | 1 |   | ✓ | 1 |     |          |          | ✓  |   |
| D | 061.7438.XX |   | 1 | ✓ | ✓ |   | ✓ | 1 | 1 |     |          |          | 1  |   |
| D | 061.7444.XX |   | 1 | ✓ | ✓ | 1 |   | ✓ | 1 |     |          |          | ✓  |   |
| D | 061.7437.XX | ✓ |   | ✓ | 1 |   | ✓ | 1 | 1 |     |          |          | ✓  |   |







### B. CYLINDER COVER

separate cylinder cover available for all door handles of Orchid

#### A. STANDARD HANDLE


|   |             |   |   |   |   |   |   | 4 |   | *** | <b>Ø</b> | <b>Ø</b> | *** |  |
|---|-------------|---|---|---|---|---|---|---|---|-----|----------|----------|-----|--|
| Α | 061.7229.PA | 1 |   | 1 | 1 | 1 | 1 |   | 1 |     |          |          |     |  |
| Α | 060.8854.PA | ✓ |   | 1 | 1 | 1 | 1 |   | 1 |     |          |          |     |  |
| В | 061.6976.PA |   | 1 | 1 | ✓ | 1 | 1 |   | 1 |     |          |          |     |  |
| В | 060.8827.PA |   | 1 | 1 | 1 | 1 | 1 |   | 1 |     |          |          |     |  |



### A. DOOR HANDLE (HERA)









A. STANDARD HANDLE




**B. REDUCED HANDLE** 



**C. RECESSED HANDLE** 



D. COVER PLATE



|   |             | X |   |   |   |   | $\Box$ | 4 |   | -\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | A STATE OF THE STA | <b>Ø</b> | ** |   |
|---|-------------|---|---|---|---|---|--------|---|---|---|--|----------|----|---|
| Α | 061.6360.XX |   | ✓ | 1 | ✓ | 1 |        | 1 | 1 |   |  |          | 1  |   |
| Α | 061.6361.XX |   | ✓ | 1 | ✓ |   | ✓      | 1 | 1 |   |  |          | ✓  |   |
| В | 061.6362.XX |   | 1 | 1 | 1 | 1 |        | 1 | 1 |   |  |          | 1  |   |
| В | 061.6363.XX |   | 1 | 1 | ✓ |   | 1      | 1 | 1 |   |  |          | 1  |   |
| С | 061.6364.XX | 1 |   | 1 | 1 |   | 1      | 1 | 1 |   |  |          | 1  | 1 |
| С | 061.6370.XX | ✓ |   | 1 | 1 |   | 1      | 1 | 1 |   |  |          |    |   |
| D | 061.6298.XX | 1 |   | 1 | 1 |   | 1      | 1 | 1 |   |  |          |    |   |
| D | 061.6296.XX | ✓ |   | 1 | ✓ |   | 1      | 1 | 1 |   |  |          |    |   |







ACCESSORIES

C. CYLINDER COVER separate cylinder cover available for all

door handles of Horizon

## 2.3.3. SHIELD Handles for cylinder operated locks



A. ROUNDED GRIP - ROUND MODEL



**B. ROUNDED GRIP** - U MODEL




C. ROUNDED GRIP - STRAIGHT MODEL



D. RECESSED HANDLE

|   |                            | X | 1 |   |   |   |   | 4 |   | ************************************** |  |
|---|----------------------------|---|---|---|---|---|---|---|---|--|--|
| Α | 061.7418.XX<br>061.7417.XX |   | ✓ | 1 | ✓ | ✓ |   | 1 | 1 |  |  |
| Α | 061.7419.XX<br>061.7417.XX | 1 |   | 1 | 1 | 1 |   | 1 | 1 |  |  |
| Α | 061.7420.XX<br>061.7417.XX |   | ✓ | 1 | 1 |   | 1 | 1 | 1 |  |  |
| Α | 061.7421.XX<br>061.7417.XX | 1 |   | 1 | 1 |   | 1 | 1 | 1 |  |  |
| В | 061.7418.XX<br>061.7416.XX |   | ✓ | 1 | 1 | 1 |   | 1 | 1 |  |  |
| В | 061.7419.XX<br>061.7416.XX | 1 |   | 1 | 1 | 1 |   | 1 | 1 |  |  |
| В | 061.7420.XX<br>061.7416.XX |   | ✓ | 1 | 1 |   | 1 | 1 | 1 |  |  |
| В | 061.7421.XX<br>061.7416.XX | ✓ |   | 1 | 1 |   | 1 | 1 | 1 |  |  |
| С | 061.7418.XX<br>061.7415.XX |   | ✓ | 1 | 1 | ✓ |   | 1 | 1 |  |  |
| С | 061.7419.XX<br>061.7415.XX | ✓ |   | 1 | 1 | 1 |   | 1 | 1 |  |  |
| С | 061.7420.XX<br>061.7415.XX |   | ✓ | 1 | ✓ |   | 1 | 1 | 1 |  |  |
| С | 061.7421.XX<br>061.7415.XX | ✓ |   | 1 | 1 |   | 1 | 1 | 1 |  |  |
| D | 061.7422.XX                |   | ✓ | ✓ | ✓ |   | ✓ | ✓ | 1 |  |  |
| D | 061.7423.XX                | 1 |   | 1 | 1 |   | 1 | 1 | 1 |  |  |









|   |             | X |   |   |   |   | $\Box$ | 4 |   | *** | <b>Ø</b> | <b>Ø</b> | <b>★★</b> |  |
|---|-------------|---|---|---|---|---|--------|---|---|-----|----------|----------|-----------|--|
| Α | 062.7133.XX | ✓ |   | ✓ | ✓ |   | ✓      |   | ✓ |     |          |          |           |  |
| В | 062.7108.XX |   | 1 | 1 | 1 | 1 |        |   | 1 |     |          |          |           |  |
| С | 062.7145.XX |   | 1 | 1 | ✓ |   | ✓      |   | 1 |     |          |          |           |  |
| D | 062.7185.XX |   | 1 | 1 | 1 | 1 |        |   | 1 |     |          |          |           |  |
| D | 062.7187.XX |   | 1 | 1 | ✓ |   | ✓      |   | 1 |     |          |          |           |  |
| Ε | 062.7110.XX |   | 1 | 1 | 1 | 1 |        |   | 1 |     |          |          |           |  |
| F | 062.7132.XX | ✓ |   | ✓ | ✓ |   | ✓      |   | 1 |     |          |          |           |  |
| G | 062.7106    | 1 |   | 1 | 1 | 1 |        |   | 1 |     |          |          |           |  |





A. ROUNDED GRIP -ROUND MODEL



B. ROUNDED GRIP -STRAIGHT MODEL



|   |             | X |   |   |   |   | $\Box$ | 4 | 0 0 0 | ************************************** | No. | <b>Ø</b> | <b>Ø</b> | <b>***</b> |  |
|---|-------------|---|---|---|---|---|--------|---|-------|--|-----|----------|----------|------------|--|
| Α | 062.7740.PA |   | 1 | 1 |   | 1 |        |   | 1     |  |     |          |          |            |  |
| Α | 062.7741.PA |   | 1 | 1 |   |   | 1      |   | 1     |  |     |          |          |            |  |
| Α | 062.7742.PA |   | 1 |   | 1 | 1 |        |   | 1     |  |     |          |          |            |  |
| Α | 062.7743.PA |   | 1 |   | 1 |   | ✓      |   | 1     |  |     |          |          |            |  |
| Α | 062.7750.PA | 1 |   | ✓ |   | 1 |        |   | 1     |  |     |          |          |            |  |
| Α | 062.7751.PA | ✓ |   | ✓ |   |   | 1      |   | 1     |  |     |          |          |            |  |
| Α | 062.7752.PA | ✓ |   |   | 1 | 1 |        |   | 1     |  |     |          |          |            |  |
| Α | 062.7753.PA | 1 |   |   | 1 |   | 1      |   | 1     |  |     |          |          |            |  |
| В | 062.7745.XX | ✓ |   | ✓ | 1 | 1 | 1      | 1 | 1     |  |     |          |          |            |  |
| С | 062.7744.XX | ✓ |   | 1 | 1 | ✓ | 1      | ✓ | ✓     |  |     |          |          |            |  |







A. STANDARD HANDLE

B. RECESSED HANDLE





|   |             | X |   |   |   |   |   | 4 |   | -\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |  | <b>**</b> |  |
|---|-------------|---|---|---|---|---|---|---|---|---|--|-----------|--|
| Α | 063.6365.XX |   | 1 | 1 | 1 | 1 |   | 1 | 1 |   |  |           |  |
| Α | 063.6366.XX |   | 1 | 1 | 1 |   | 1 | 1 | 1 |   |  |           |  |
| Α | 063.6367.XX | 1 |   | 1 | 1 | 1 |   | 1 | 1 |   |  |           |  |
| Α | 063.6368.XX | 1 |   | 1 | 1 |   | 1 | 1 | 1 |   |  |           |  |
| В | 063.6369.XX | 1 |   | 1 | 1 |   | 1 | 1 | 1 |   |  |           |  |

See page 11 for more information about our different design lines














B. RECESSED HANDLE

|   |             | X |   | <b>—</b> |   |   | $\Box$ | 4 | 0 0 0 | *** | <b>Ø</b> | <b>Ø</b> | <b>**</b> |  |
|---|-------------|---|---|----------|---|---|--------|---|-------|-----|----------|----------|-----------|--|
| Α | 062.7766.XX | 1 |   | 1        | 1 | 1 | 1      | 1 | 1     |     |          |          |           |  |
| Α | 062.7767.XX |   | 1 | 1        | 1 | 1 | 1      | 1 | 1     |     |          |          |           |  |
| В | 062.7768.XX | 1 |   | 1        | 1 |   | 1      | 1 | 1     |     |          |          |           |  |

|   |             | X |   | <b>=</b> |   |   | $\Box$ | 4 | 000 | ************************************** | No. | <b>Ø</b> | <b>***</b> |  |
|---|-------------|---|---|----------|---|---|--------|---|-----|--|-----|----------|------------|--|
| Α | 062.7861.PA | 1 |   | 1        | 1 | 1 |        |   | 1   |  |     |          |            |  |
| Α | 062.7862.PA |   | 1 | 1        | 1 | 1 |        |   | 1   |  |     |          |            |  |
| Α | 062.7863.PA |   | 1 | 1        | 1 |   | 1      |   | 1   |  |     |          |            |  |
| Α | 062.7864.PA |   | 1 | 1        | 1 | 1 | 1      |   | 1   |  |     |          |            |  |
| В | 062.7872.PA | 1 |   | 1        | 1 |   | 1      |   | 1   |  |     |          |            |  |





Horizon door configurations can be applied in the CF range of folding door elements.

See doors section for full overview (page 19)









Shield door configurations can be applied in the CF range of folding door elements.

See doors section for full overview (page 20)



A. STANDARD HANDLE



|   |             | X |   | <b>=</b> |   |   | $\Box$ | 4 | *** | <b>Ø</b> | ** |  |
|---|-------------|---|---|----------|---|---|--------|---|-----|----------|----|--|
| Α | 061.6452.17 | 1 |   | 1        | 1 | 1 | 1      | 1 |     |          |    |  |
| Α | 060.6220.17 |   | 1 | 1        | 1 | 1 | 1      | 1 |     |          | 1  |  |



Orchid cannot be applied in the CF range of folding window elements. Orchid can be applied in the CF range of folding door elements.

See doors section for full overview (page 21)



### **ABOUT REYNAERS ALUMINIUM**

Reynaers Aluminium is a leading European specialist in the development and marketing of innovative and sustainable aluminium solutions for windows, doors, curtain walling, sliding systems, sunscreening and conservatories. Besides offering an extensive range of standard solutions, the company also develops solutions that are tailored to the individual customer or project. Research, product development and testing are conducted at the Reynaers Campus, the sector's largest private innovation and testing centre, located in Duffel (Belgium). In addition, the company also provides extensive technical support and advice to fabricators, contractors and architects.

Reynaers Aluminium is the market leader in Belgium and has acquired a strong market position in the 40 countries where it has its own sites. The company's success is due in part to the close partnership between Reynaers and 5,000 partner fabricators, architects and project developers worldwide.

In 2017 the Reynaers Group achieved a turnover of over 426 million euros and has nearly 2000 employees worldwide.

For more information:  $\underline{www.reynaers.com}$ 



### TOGETHER FOR BETTER

#### **WWW.REYNAERS.COM**

06/2018 - 0H0.115C.00 - Publisher Responsible at Law: E. Fonteyne - Reynaers Aluminium, Oude Liersebaan 266, B-2570 Duffel Attention: this overview is updated frequently! To make sure you have the most recent version, please check our website www.reynaers.com/downloads